

**KILLFIRE MOUTH FRESHENER- cetylpyridinium chloride spray**  
**Pharmaca International. Co., Ltd.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Active ingredient**

Cetylpyridinium Chloride 0.05%

**Purpose**

Oral Antiseptic

**Use**

- Helps remove plaque
- Helps remove bad breath
- Clean mouth

**Directions**

- Spray killfire mouth freshener in the mouth once or several times when oral cleaning is required, such as after meals or before conversation.

**Warnings**

- 1) Patients who are prone to allergic contact eczema.
- 2) Someone who's sensitive to medicine.
2. Stop using this product immediately and consult a doctor, dentist, or pharmacist in the following cases. Please keep this attached document as much as possible during consultation.
  - 1) Mouth: In the event of mucosal hypersensitivity in the mouth, such as rash, urticaria, erosion (darkness), rarely the mouth, pharynx (part of the digestive tract between the mouth and esophagus), etc.,
  - 2) If you have a high fever or headache,
  - 3) If you feel nauseous,
3. Other precautions when using this product.
  - 1) Use it according to the prescribed usage and capacity.
  - 2) Do not drink this product.
  - 3) If you drink it incorrectly, follow the pharmacist or doctor's instructions.
  - 4) Children under the age of 6 should not use it without the instructions of a pharmacist or doctor.
4. Caution in saving.
  - 1) Keep it out of reach of children.

2) Avoid direct sunlight and push it (close the lid) in a cool place with as little moisture as possible.

3) Do not change it into other containers to prevent misuse (wrong use) and preserve quality.

### ***Storage method***

Airtight container, storage at room temperature (1~30°C).

### ***Expiration date***

Separately marked

### ***Inactive Ingredients***

Glycerin, Xylitol, Sodium Benzoate, Sodium Saccharin, Malic acid, Citric acid, Sodium citrate,

GreenTea Extract, Floral mint, Polyoxyethylenehardened castor oil, L-Menthol, Propolis extract,

Purified water

### **Product label**

## Drug Facts

### Active Ingredients

Cetylpyridinium Chloride 0.05%

### Purpose

Oral Antiseptic

### Purpose

- Oral Antiseptic

### Use

- Helps remove plaque
- Helps remove bad breath
- Clean mouth

### Directions

- Spray killfire mouth freshener in the mouth once or several times when oral cleaning is required, such as after meals or before conversation.

### Warnings

- 1) Patients who are prone to allergic contact eczema.
- 2) Someone who's sensitive to medicine.
2. Stop using this product immediately and consult a doctor, dentist, or pharmacist in the following cases. Please keep this attached document as much as possible during consultation.
  - 1) Mouth: In the event of mucosal hypersensitivity in the mouth, such as rash, urticaria, erosion (darkness), rarely the mouth, pharynx (part of the digestive tract between the mouth and esophagus), etc.,
  - 2) If you have a high fever or headache,
  - 3) If you feel nauseous,
3. Other precautions when using this product.
  - 1) Use it according to the prescribed usage and capacity.
  - 2) Do not drink this product.
  - 3) If you drink it incorrectly, follow the pharmacist or doctor's instructions.
- 4) Children under the age of 6 should not use it without the instructions of a pharmacist or doctor.
4. Caution in saving.
  - 1) Keep it out of reach of children.
  - 2) Avoid direct sunlight and push it (close the lid) in a cool place with as little moisture as possible.
  - 3) Do not change it into other containers to prevent misuse (wrong use) and preserve quality.

### Storage method

- Airtight container, storage at room temperature (1~30°C).

### Expiration date

- Separately marked

### Inactive Ingredients

Glycerin, Xylitol, Sodium Benzoate, Sodium Saccharin, Malic acid, Citric acid, Sodium citrate, GreenTea Extract, Floral mint, Polyoxyethylenehardened castor oil, L-Menthol, Propolis extract, Purified water

## 제품명 | 킬파이어구취스프레이액 (염화세틸피리디늄)

효능효과 프라그 제거, 구강 내 청결, 구강악취 제거 보관방법 기밀용기, 실온 (1~30°C) 보관  
용법용량 식사 후 또는 대화 전 등 구강청정을 요할 때 1~수회 구강 내에 분무한다. 용량 20ml  
주성분 100ml 중 염화세틸피리디늄 50mg 보존제 벤조산나트륨 기타 성분 글리세린, 사카린나트륨, 자일리톨, 시트르산, 시트르산나트륨, DL-사과산, 녹차 엑스, 프로폴리스추출액, L-멘톨, 폴리옥시에틸렌하드 캐스터 오일, 향료, 정제수  
사용상의 주의사항 1. 다음과 같은 사람은 이 제품을 사용하지 마십시오. 1) 알레르기성 접촉성 습진이 나타나기 쉬운 환자 2) 본 제에 과민증이 있는 사람 2. 다음과 같은 경우 이 제품의 사용을 꼭지하고 의사, 치과 의사, 약사와 상의하십시오. 상담 시 가능한 한 이 첨부문서를 소지하십시오. 1) 입안: 발진, 두드러기, 미란(진두름), 드물게 입안, 입두(입 안과 식도 사이에 있는 소화관의 일부)의 작열감 (화끈감) 등 입안의 점막 과민반응이 나타날 경우 2) 고열, 두통 등이 나타날 경우 3) 구개에 나타날 경우 3. 기타 이 제품의 사용 시 주의할 사항 1) 정해진 용법·용량에 따라 사용하십시오. 2) 이 제품은 마시지 마십시오. 3) 잘못 마셨을 경우에는 의사 또는 약사의 지시에 따르십시오. 4) 6세 이하의 어린이에게 주는 약사 또는 약사의 지시 없이 사용하지 마십시오. 4. 저장상의 주의 1) 소아의 손이 닿지 않는 곳에 보관하십시오. 2) 적시 알레르기 피하고 되도록 습기가 적은 서늘한 곳에 밀폐하여(뚜껑을 꼭 닫아) 보관하십시오. 3) 오용 (잘못 사용)을 막고 품질의 보증을 위하여 다른 용기에 바꾸어 넣지 마십시오. | 소비자 상담실 : 070-7808-1112  
본 제품은 공정거래위원회 고시에 의거 보상받을 수 있습니다.

### 제조번호&사용 기한 : 별도 표기

제조자 : (주)코엘드림 전라남도 담양군 담양읍 예곡산단6로 89, 90  
제조외국 : (주)케이비이오 광주광역시 북구 첨단과기로 208번길 17-31  
판매처 : (주)셀디랩 서울시 마포구 진당로3안길 52(서교동) 3층

MADE IN KOREA

의약품



Byerus



# killfire mouth freshener

Killfire bad breath spray removes all the odors from your mouth in just one second. It takes care of your oral cavity easily and perfectly anytime, anywhere with its strong odor removal effect.

# KILLFIRE MOUTH FRESHENER

cetylpyridinium chloride spray

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:24765-134
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETYLPIRIDINIUM CHLORIDE (UNII: D9OM4SK49P) (CETYLPIRIDINIUM - UNII: CUB7JIOJV3)	CETYLPIRIDINIUM CHLORIDE	0.05 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
XYLITOL (UNII: VCQ006KQ1E)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
MALIC ACID (UNII: 817L1N4CKP)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
RACEMENTHOL (UNII: YS08XHA860)	
WATER (UNII: 059QF0KOOR)	
PROPOLIS WAX (UNII: 6Y8XYV2NOF)	
POLYOXYL 35 CASTOR OIL (UNII: 6D4M1DAL6O)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24765-134-01	20 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	10/29/2021	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part356	10/29/2021	

**Labeler** - Pharmacal-International. Co., Ltd. (557805060)

**Registrant** - Pharmacal-International. Co., Ltd. (557805060)

Establishment			
Name	Address	ID/FEI	Business Operations
Ecoworld Co .,Ltd		688735061	manufacture(24765-134)

Revised: 11/2021

Pharmacal-International. Co., Ltd.